

EURO 5 EEV

CITIBUS



CITIBUS. Brand New Bus.

Buses have different meanings for everyone. For example it is home for its driver. An enterprise for its owner. And for a passenger who has to take the bus every day and night; it's sometimes a chair to read the newspaper or a couch to lie down to watch TV.

Big buses are about to become history while today's different inner-city transport preferences come forward. Isuzu Citibus, brings a solution with its lower turning radius and 9.5 meters of length to areas where big buses cannot be used.



With its 204 HP engine which is compatible with Euro 5 (EEV) emission standards, Citibus offers comfort to its driver and economy to its owner by its lower fuel consumption.





Apart from its modern and aesthetic outlook, Citibus has a unique trim quality, ergonomics and spacious interior design.



LED interior lighting and digital information board differentiates.



With its officially registered design, Citibus offers more than 100 different alternatives for seat replacement with elegant, comfortable and well-built seats.



Front and middle doors of Citibus are low entry and without steps which provides ease access to the vehicle.

Third door is a standard in Citibus. Also, two-door versions are available. The doors, the wide aisle, seating capacity and seat placement allow people to move around more easily.



Ventilation can be a big problem for bus travelers. Citibus provides comfort for the passengers with its high capacity air conditioning.



Citibus holds the road better with its tires that constantly and equally touch the ground with the same angle.

If you see a cornering destination indicator that turns the corner, you can be sure that it's a Citibus. Because that is also unique to Citibus.



Wide windows complement the spacious atmosphere that is provided by Citibus's exhilarating air conditioning system. Thanks to its wide windows it ensures an ample wide view, bright and panoramic travel.



The specially designed ramp on the middle door provides disabled passengers and passengers with strollers a smooth travel.





All the controls and indicators in Citibus driver's compartment are easy to reach. That's why, an ergonomic working place is provided for the driver.




The driver can read all the indicators and use the controls without changing his seating position.



In addition to that, there is a special locked cabinet above the driver for private belongings.

TECHNICAL SPECIFICATIONS

Dimensions	
Maximum length	9515
Maximum width	2409
Maximum height	3117 (with A/C unit)
Wheelbase	4435
Front overhang	2135
Rear overhang	2945
Front track width	2012
Rear track width	1751
Interior headroom	min.: 1940 - max.: 2460
Weight	
Gross vehicle weight	14,000
Curb weight	min.: 7800 - max.: 8200
Front axle capacity	5000
Rear axle capacity	9440
Engine	
Model	ISUZU 4HK1E5S EURO5-EEV (Enhanced environment friendly vehicle)
Type	Commonrail Turbo Diesel Intercooler
Number of cylinders	4
Engine volume	5193
Maximum power (PS/rpm)	204 / 2600
Maximum torque (Nm/rpm (Kgm/rpm))	637 /1600-2600 (64,9 / 1600-2600)
Exhaust gas emission class	Euro 5-EEV (Enhanced environment friendly vehicle)
Clutch	Hydraulic actuated diaphragm spring single dry plate
Transmission	
Model	Standard: Manual, ISUZU MZW-6F (gearshift assist system) Option: Automatic, ALLISON 2100
Number of gears, type	Manual: 6 forward, 1 reverse, overdrive Automatic: 6 forward, 1 reverse, overdrive (5forward,1reverse option)
Final gear ratio	5.8
Steering system	Hydraulic
Tyres	265/70 R19,5
Minimum turning radius (mm)	6960
Gradeability	38,6% (with manual gearbox) 30,3% (with automatic gearbox)
Suspensions	
Front	Air suspension - 2 air springs Independent suspension
Rear	Air suspension - 4 air springs
Brake system	
Front / Rear	Disc / Disc
System	Full air brake system with ABS, Double circuit automatic adjusted
Parking brake	Air actuated acted on the rear axle
Auxiliary brake	Exhaust brake (Optional Voith retarder)
Fuel tank capacity	215 Lt. (plastic)
Fuel tank cap lock	S
Volume of luggage compartment	
Volume (m3)	0.15
Carpet cover inside	0
Internal lighting	Continuous LED
Central locking system	
Generator	24V - 120A
Nominal voltage	24V
Battery	24V (2X12V)-125 Ah
Starter motor	24V - 4,5kW



EQUIPMENT

General	
Tachograph	MTCO tachograph optional Dijital tachograph optional
Tire inflation equipment	S
Heating and ventilation	
Pre- heater	0 (Eberspacher)
Front Blower box	S
Dry type air cleaner	S
Other	Standard on left corridor at middle and rear Optional on middle right
Air Conditioner	
	Standard, 320cc Digital Safkar make and also for driver's dashboard Capacity :28400 kcal/saat
Safety	
Roof emergency exit & ventilation hatch	S
Parking Sensor	0*
Indirect view camera	0*
Retarder	0 (operated by service brake pedal)
Immobiliser	S
Internal Camera	0*
ABS	S
ASR	S
Fuel pre-heater	0
Engine room fire sensor	0
Speed limiter	S (not activated)
Exterior	
Side stripe stickers	S
Metallic paint	0
Doors	
Number of Service doors	3 doors Standard (single wing door at the front, double wings door in the middle and single wing door at the rear) 2 doors Option (single wing door at the front, double wings door in the middle)*
Type of service doors	Front: Single wing air power actuated inside opening mechanism / Middle: Double wing air power actuated inside opening mechanism/ Rear: Single wing air power actuated inside opening mechanism
Handicap/wheelchair ramp	S (joint type)
Remote control	S
Driver's window	Sliding type Standard
Heated driver's window	S
Heated front door glass	S
Blind	S
Kneeling System	S (6 cm)
Side rear view mirrors	S
Electrically controlled mirrors	0*
Heated long arm mirror	S
Close-proximity exterior mirror	S
Passenger window	Single glass standard Two sliding windows both at right and left sides
Single glazing	S
Double glazing	0
Windscreen	S
Rim caps	0 (Polyurethane)
Front fog lamps	S
Windscreen wiper and washers	3 speed levels
Reverse gear warning sound	S
Interior	
Steering wheel	Adjustable for height and angular. diameter of the steerign wheel: 460mm
Driver's seat	With Air suspensions, adjustable
Head rest for driver's seat	Removable
Driver's cabin	0
Overhead locker for driver	S
Passenger seat	
Coating	Fabric

Plastic	S
Armrests (aisle side) for passenger seats	Only at priority seats
Celing interior lining material	Formica
Lamp for driver	S
Interior celing lighting	Continuous LED on ceiling
Floor cover	Vinyl
Stop sign	S
Digital destination board	S (Cornering Pane) 0 (Rear)
Destination board (front)	0
Destination board (rear)	0
Audio	
Radio&CD Player	S
Radio&CD Player&VCD , DVD ,MP3 Player	0
Speaker	Only for driver
Monitor / LCD	0
TV tuner	0
Navigation equipment	0
Digital clock	S
Body style	Monocoque



S: Stardard, 0: Optional

- 17 seated + 57 standing
- 20 seated + 53 standing
- 25 seated + 44 standing
- 27 seated + 40 standing



facebook.com/isuzuturkiye twitter.com/isuzuturkiye
www.isuzu.com.tr

ANADOLU ISUZU Otomotiv Sanayi ve Ticaret A.Ş.
Şekerpınar Mah. Otomotiv Cad. No:2 41435 Çayırova / Kocaeli - Turkey
Tel: +90 (262) 658 88 43-44 Fax: +90 262 658 88 42

ISUZU